



Product Catalogue 2023

Element ICF forms, Flex Ties, Heat-Sheet radiant floor panels, Halo insulation and every job-site accessory — from AMC Foam Technologies, Headingley, Manitoba.

Phone
1.877.789.7622

Orders
orders@amcfoam.com

Web
amcfoam.com

Revision
REV#20260831E

Element ICF Forms


Standard Form (Solid Block)



CORE SIZE	UNIT	# / BUNDLE	ELEMENT ICF	ELEMENT CHROME
6"	Each	29	ELE6STD	ELECH6STD
8"	Each	29	ELE8STD	ELECH8STD

- * Thickness x Width x Length — Fixed Block
- Solid blocks are available in 6" and 8" cores. The 4", 10" and 12" configurations are assembled on site from Element panels and Flex Ties (see Panels & Flex Ties section).
- Element ICF R-Value = R25 · Element Chrome R-Value = R28


Assembled Forms (Panels + Flex Ties)



CORE SIZE	PANELS REQUIRED	FLEX TIES REQUIRED	BUNDLE QTY (ASSEMBLED)	ELEMENT ICF	ELEMENT CHROME
4"	2 × Standard Panels (ELESTDPNL)	6 × ELEWEB4CNTR	15	Assembled — see part numbers at left	Assembled — see part numbers at left
8"	2 × Standard Panels (ELESTDPNL)	6 × ELEWEB8CNTR	29	ELE8STD (solid) or assembled	ELECH8STD (solid) or assembled
10"	2 × Standard Panels (ELESTDPNL)	6 × ELEWEB10CNTR	18	Assembled — panels + Flex Ties	Assembled — panels + Flex Ties
12"	2 × Standard Panels (ELESTDPNL)	6 × ELEWEB12CNTR	18	Assembled — panels + Flex Ties	Assembled — panels + Flex Ties

- Forms assembled on site from Element panels and Flex Ties
- The 4" assembled form requires two ELESTDPNL panels and 4" Flex Ties (ELEWEB4CNTR)
- The 8" core is available both as a solid block (ELE8STD) and as an assembled form
- Element ICF R-Value = R25 · Element Chrome R-Value = R28

90° Corner Form



CORE SIZE	UNIT	# / BUNDLE	ELEMENT ICF	ELEMENT CHROME
4"	Each	6	ELE4CRN90	ELECH4CRN90
6"	Each	6	ELE6CRN90	ELECH6CRN90
8"	Each	6	ELE8CRN90	ELECH8CRN90

- Element ICF R-Value = R25 · Element Chrome R-Value = R28
- 10" and 12" corners ship as corner panel sets — see Panels & Flex Ties section

Taper Top Form



CORE SIZE	UNIT	# / BUNDLE	ELEMENT ICF	ELEMENT CHROME
6"	Each	25	ELE6TT	ELECH6TT
8"	Each	25	ELE8TT	ELECH8TT

- Element ICF R-Value = R20 · Element Chrome R-Value = R22

Door & Window Bucks (Element Buck)




CORE SIZE	UNIT	LENGTH	QTY / BUNDLE	BUNDLE WEIGHT	BUNDLE DIMENSIONS	PART NUMBER
4"	Each	4'	5	14 LBS	10.5" x 15" x 48"	ELE4BUCK
6"	Each	4'	5	16.5 LBS	11.75" x 15" x 48"	ELE6BUCK
8"	Each	4'	5	17 LBS	13.5" x 15" x 48"	ELE8BUCK

- *** Please check for availability ***

Element Panels & Flex Ties


Flex Ties



SIZE	UNIT	# / BOX	PART NUMBER
4"	Box	60	ELEWEB4CNTR
6"	Box	60	ELEWEB6CNTR
8"	Box	60	ELEWEB8CNTR
10"	Box	60	ELEWEB10CNTR
12"	Box	60	ELEWEB12CNTR

- Flex Ties (centre-web ties) connect the Element panels to create the concrete core
- Six (6) Flex Ties are required for each completed straight form assembly
- Eight (8) Flex Ties are required for each completed corner form assembly
- One box of 60 Flex Ties completes ten straight form assemblies


Element Panels



TYPE	UNIT	# PANELS / BAG	ELEMENT ICF	ELEMENT CHROME
Standard (with top knobs)	Each	6	ELESTDPNL	ELECHSTDPNL
Standard (without top knobs)	Each	6	ELESIDEPNL	ELECHSIDEPNL
Taper Top	Each	6	ELETPPNL	ELECHTPPNL
Brick Ledge	Each	4	ELEBLPNL	ELECHBLPNL

- * Sold per panel (2 panels needed for each form)
- Panels are bagged: 6 panels per bag · Brick Ledge panels: 4 per bag
- Each bag of 6 standard panels completes three assembled forms (Flex Ties sold separately)


Net Zero Block Set



SIZE	UNIT	# / BUNDLE	WEIGHT PER BUNDLE	BUNDLE DIMENSIONS	# BUNDLES / PALLET
6.25" Core Net Zero Block	Set	18	200 LBS	50" x 48" x 96"	1
8" Core Net Zero Block	Set	18	200 LBS	54" x 48" x 96"	1
10" Core Net Zero Block	Set	12	200 LBS	40" x 48" x 96"	1

- * No corners available

Corner Panel Sets



SIZE	UNIT	# / BUNDLE	WEIGHT PER BUNDLE	BUNDLE DIMENSIONS	# BUNDLES / PALLET	ELEMENT ICF
10"-90° Corner Panel Set	Set	16	76 LBS	33" x 35" x 86"	1	ELE10CRN90PNL
12"-90° Corner Panel Set	Set	16	74 LBS	33" x 35" x 86"	1	ELE12CRN90PNL

- * Ships as unassembled panel set
- 4", 6", and 8" corners available in Fixed Block only

Assembly Guide




ASSEMBLED FORM	COMPONENTS
Standard Form	2 Standard Panels (with top knobs) + 6 Flex Ties
Brick Ledge Form	1 Standard Panel (with top knobs) + 1 Brick Ledge Panel + 6 Flex Ties
Taper Top Form	1 Standard Panel (without top knobs) + 1 Taper Top Panel + 6 Flex Ties
90° Corner Form	1 Set inside/outside panels + 8 Flex Ties



TOPIC	DETAILS
Flex Ties	Six (6) Flex Ties are required for each completed straight form. Eight (8) Flex Ties are required for each completed corner form. One box of 60 Flex Ties completes ten straight forms or seven corner forms (panels sold separately).
Panels	Two panels required for each assembled form. Panels are bagged six (6) per bag — each bag completes three assembled forms (Flex Ties sold separately). Brick Ledge panels are bagged four (4) per bag.
Corners	16 sets of panels per bundle. Standard knock-down form components (all corners are standard 2-3/4" foam thickness). Each set includes one inside and one outside panel. Each bundle completes 16 assembled forms (Flex Ties sold separately). 6", 8" and 10" sizes are also available as Knock Down blocks — 12" is available as Knock Down only.

Heat-Sheet


Heat-Sheet® Heavy 25



NOMINAL THICKNESS	TOTAL PANEL THICKNESS	PANEL SIZE	AVERAGE R-VALUE	QTY / BUNDLE	PART NUMBER
2"	3-1/4"	2' x 4'	R10	8	HSH2(25)
2-1/2"	3-3/4"	2' x 4'	R12	7	HSH2.5(25)
3-1/4"	4-1/2"	2' x 4'	R16.1	6	HSH3.25(25)
4" *	5-1/2"	2' x 4'	R20	5	HSH4(25)

- 4" is special order
- Knobs are 1-1/4" tall with 4" grid spacing
- Call for availability of additional sizes


Heat-Sheet® Heavy 40



NOMINAL THICKNESS	TOTAL PANEL THICKNESS	PANEL SIZE	AVERAGE R-VALUE	QTY / BUNDLE	PART NUMBER
2"	3-1/4"	2' x 4'	R10	8	HSH2(40)
3-1/4"	4-1/2"	2' x 4'	R16.1	6	HSH3.25(40)

- Knobs are 1-1/4" tall with 4" grid spacing
- Please call for availability of additional sizes

Heat-Sheet® Heavy 60



NOMINAL THICKNESS	TOTAL PANEL THICKNESS	PANEL SIZE	AVERAGE R-VALUE	QTY / BUNDLE	PART NUMBER
2"	3-1/4"	2' x 4'	R10	8	HSH2(60)
3-1/4"	4-1/2"	2' x 4'	R16.1	6	HSH3.25(60)

- Knobs are 1-1/4" tall with 4" grid spacing
- Please call for availability of additional sizes



NOMINAL THICKNESS	TOTAL PANEL THICKNESS	PANEL SIZE	AVERAGE R-VALUE	QTY / BUNDLE	PART NUMBER
1/2"	1-3/8"	2' x 4'	R4	24	HS.5(25)**
1"	1-7/8"	2' x 4'	R6	16	HS1(25)**
1-1/2"	2-3/8"	2' x 4'	R8	10	HS1.5(25)
2"	2-7/8"	2' x 4'	R10	10	HS2(25)
2-1/2"	3-3/8"	2' x 4'	R12	8	HS2.5(25)
3"	3-7/8"	2' x 4'	R14	6	HS3(25)

- Knobs are 7/8" tall with a 3-inch grid pattern
- ** These panels do not interlock

Halo Insulation

HALO Interra® — Interior Insulation



THICKNESS	SIZE	R-VALUE PER INCH*	QTY / BUNDLE	PART NUMBER
* 1"	4' x 8'	R5*	12	HALOINT1X48X96
1-1/2"	4' x 8'	R5*	8	HALOINT1.5X48X96
2"	4' x 8'	R5*	6	HALOINT2X48X96
* 3"	4' x 8'	R5*	4	HALOINT3X48X96
* 4"	4' x 8'	R5*	3	HALOINT4X48X96

- HALO Interra is the interior insulation panel of the HALO family
- R5 at 1" nominal thickness (actual thickness = 1-1/16")
- * Special order
- Standard bundle size is 12" x 48" x 96"
- Please contact your local sales rep for custom thickness and sizes
- HALO® products available up to 4" maximum thickness, sold in full bundle quantities only
- All stock manufactured & bundled non-perforated; perforated available upon special order

HALO Interra® FR — Fire-Rated Interior Insulation



THICKNESS	SIZE	R-VALUE PER INCH*	QTY / BUNDLE	PART NUMBER
* 1"	4' x 8'	R5*	12	HALOINTFR1X48X96
1-1/2"	4' x 8'	R5*	8	HALOINTFR1.5X48X96
2"	4' x 8'	R5*	6	HALOINTFR2X48X96
* 3"	4' x 8'	R5*	4	HALOINTFR3X48X96
* 4"	4' x 8'	R5*	3	HALOINTFR4X48X96

- Interra FR is the fire-rated interior panel of the HALO family, engineered to meet US fire-rating requirements
- Specify Interra FR wherever interior wall and ceiling assemblies call for a fire-rated insulation panel
- R5 at 1" nominal thickness (actual thickness = 1-1/16")
- * Special order
- Standard bundle size is 12" x 48" x 96"
- HALO® products available up to 4" maximum thickness, sold in full bundle quantities only

HALO Exterra® — Exterior Insulation



THICKNESS	SIZE	R-VALUE PER INCH*	QTY / BUNDLE	PART NUMBER
* 5/8"	4' x 8'	R5*	20	HALOEXT.625X48X96
3/4"	4' x 8'	R5*	16	HALOEXT.75X48X96
1"	4' x 8'	R5*	12	HALOEXT1X48X96
1-1/2"	4' x 8'	R5*	8	HALOEXT1.5X48X96
2"	4' x 8'	R5*	6	HALOEXT2X48X96
* 3"	4' x 8'	R5*	4	HALOEXT3X48X96
* 4"	4' x 8'	R5*	3	HALOEXT4X48X96

- HALO Exterra is the exterior insulation panel of the HALO family
- R5 at 1" nominal thickness (actual thickness = 1-1/16")
- * Special order
- Standard bundle size is 12" x 48" x 96"
- Please contact your local sales rep for custom thickness and sizes
- HALO® products available up to 4" maximum thickness, sold in full bundle quantities only
- All stock manufactured factory perforated; reflective side facing out




GRADE	THICKNESS	SIZE	R-VALUE PER INCH*	QTY / BUNDLE	PART NUMBER
16 psi	1"	4' x 8'	R5*	12	HALOSUB(16)1X48X96
16 psi	1-1/2"	4' x 8'	R5*	8	HALOSUB(16)1.5X48X96
16 psi	2"	4' x 8'	R5*	6	HALOSUB(16)2X48X96
16 psi	3"	4' x 8'	R5*	4	HALOSUB(16)3X48X96
16 psi	4"	4' x 8'	R5*	3	HALOSUB(16)4X48X96
30 psi	1"	4' x 8'	R5*	12	HALOSUB(30)1X48X96
30 psi	1-1/2"	4' x 8'	R5*	8	HALOSUB(30)1.5X48X96
30 psi	2"	4' x 8'	R5*	6	HALOSUB(30)2X48X96
30 psi	3"	4' x 8'	R5*	4	HALOSUB(30)3X48X96
30 psi	4"	4' x 8'	R5*	3	HALOSUB(30)4X48X96

- HALO Subterra Plus is the below-grade insulation panel of the HALO family
- Available in two compressive-strength grades: 16 psi and 30 psi (Type 3)
- R5 at 1" nominal thickness (actual thickness = 1-1/16")
- Standard bundle size is 12" x 48" x 96"
- Please contact your local sales rep for custom thickness and sizes
- HALO® products available up to 4" maximum thickness, sold in full bundle quantities only

Accessories


Form Lock



CORE SIZE	UNIT	LENGTH	8 PIECES / BUNDLE	BUNDLE WEIGHT	BUNDLE DIMENSIONS	PART NUMBER
4"	Each	12.5'	100 LF.	28 LBS	2" x 4" x 12.5"	ACCSFL4
6"	Each	12.5'	100 LF.	34 LBS	2" x 6" x 12.5"	ACCSFL6
8"	Each	12.5'	100 LF.	48 LBS	2" x 8" x 12.5"	ACCSFL8
10"	Each	12.5'	100 LF.	54 LBS	2" x 10" x 12.5"	ACCSFL10
12"	Each	12.5'	100 LF.	60 LBS	2" x 12" x 12.5"	ACCSFL12

- * 1 Bundle = 100 Linear Feet


End Caps



CORE SIZE	UNIT	PIECE WEIGHT	ELEMENT ICF
4"	Each	0.25 LBS	ELE4EC
6"	Each	0.25 LBS	ELE6EC
8"	Each	0.25 LBS	ELE8EC
10"	Each	0.25 LBS	ELE10EC

- Bundle size as per customer order
- Element ICF R-Value = R11 · Element Chrome R-Value = R12

Contour Insert Panel (D-RV Panels)



THICKNESS	UNIT	PIECES / BUNDLE	ELEMENT ICF R-VALUE PER INCH	ELEMENT ICF	ELEMENT CHROME R-VALUE PER INCH	ELEMENT CHROME
1"	Each	176	R4	ELEIPT2W1	R5*	ELEIPT2N1
2"	Each	94	R4	ELEIPT2W2	R5*	ELEIPT2N2
3"	Each	64	R4	ELEIPT2W3	R5*	ELEIPT2N3
4"	Each	48	R4	ELEIPT2W4	R5*	ELEIPT2N4

- * R5 at 1" nominal thickness (actual thickness = 1.06")

T-Void Sheet



SIZE	UNIT	# PER BUNDLE	WEIGHT PER BUNDLE	PART NUMBER
6.25" x 11.75" x 96"	Each	16	40 LBS	ELE6TV
8" x 13.5" x 96"	Each	12	45 LBS	ELE8TV

- * T-Void bundle size: 24" x 48" x 96"

Wire Hooks



TYPE	UNIT	WEIGHT PER BOX	# PER BOX	BOX DIMENSIONS	PART NUMBER
Horizontal	Box	16.35 LBS	250 pieces	8" x 10" x 13"	ACCSWHH
Vertical	Box	25.65 LBS	250 pieces	11" x 12" x 18"	ACCSWHV
Vertical for Height Adjuster	Box	28.5 LBS	250 pieces	7" x 14" x 25"	ACCSWHHA

- * Sold in full box quantities


Zip Ties



LENGTH	UNIT	# PER BAG	WEIGHT PER BAG	BOX DIMENSIONS	PART NUMBER
36" Long	Bag 50	50	2.2 LBS	7" x 8" x 40"	ACCSZT
48" Long	Bag 50	50	2.8 LBS	7" x 8" x 52"	ACCSZT48

- 10 bags / box


Stirrup for Brick Ledge



TYPE	UNIT	WEIGHT PER BOX	# PER BOX	BOX DIMENSIONS	PART NUMBER
Stirrup for Brick Ledge (6")	Box	50.4 LBS	54 pieces	13" x 13" x 16"	ACCSSTIR6
Stirrup for Brick Ledge (8")	Box	52.85 LBS	54 pieces	13" x 13" x 16"	ACCSSTIR8

- * Sold in full box quantities

Parging Reinforcement Mesh & Acrylic Parging



TYPE	UNIT	COVERAGE	WEIGHT	BOX DIMENSIONS	PART NUMBER
5oz Mesh (DuROCK)	Roll	475 SQFT	15.3 LBS	12" x 12" x 41"	ACCSPARGMESH
Acrylic Parging (DuROCK B2000)	Bag	80 SQFT / 50 LBS bag	50 LBS	—	ACCSPREPCOAT

- * 4 rolls / box

Tapes



TYPE	SIZE	UNIT	# / CASE	WEIGHT PER CASE	CASE DIMENSIONS	PART NUMBER
Element Interlock Protection Tape	144mm (5.67") wide x 100m (328') long	Roll	—	1.4 LBS	—	ACCSINTERTAPE
1" Filament Tape	—	Roll	9 rolls/sleeve	2.9 LBS	—	ACCSFTAPE
Blue Tuck Tape	2.36" x 180ft	Roll	20	15 LBS	10" x 10" x 12.5"	ACCSSTAPE
Tuck Flashing Tape	4" x 75ft	Roll	12	25 LBS	11.5" x 11.5" x 12.5"	ACCSFLTAPE-100MM
Tuck Flashing Tape	6" x 75ft	Roll	8	25 LBS	11.5" x 11.5" x 12.5"	ACCSFLTAPE-152MM

- Blue Tuck Tape: recommended for sealing joints on all Halo products


Tytan Foam Products



PRODUCT	SIZE	UNIT	# / CASE	WEIGHT PER CASE	CASE DIMENSIONS	PART NUMBER
Tytan Extreme -25C/-13F	710ml / 24oz	Can	12	22 LBS	10.5" x 8" x 13.5"	ACCSFOAMEXTREME
Bond 60 0C/32F	710ml / 24oz	Can	12	21 LBS	10.5" x 8" x 13"	ACCSFOAMBONDTYT
Tytan Straw	750ml / 25oz	Can	12	20 LBS	10.5" x 8" x 13"	ACCSFOAMSTRAWTYT
Tytan Cleaner	350ml / 12oz	Can	12	12.3 LBS	10.5" x 8" x 8.5"	ACCSFOAMCLEANTYT
Tytan Applicator	—	Each	1	0.7 LBS	2" x 7" x 14"	ACCSFOAMAPPTYT

- Tytan Extreme: requires separate foam applicator; suitable for use year round
- Bond 60: requires separate foam applicator
- Tytan Straw: includes disposable applicator
- Tytan Cleaner: for foam applicator cleaning


Simpson Connectors



TYPE	UNIT	# PER BOX	WEIGHT PER BOX	BOX DIMENSIONS	PART NUMBER
ICFVL-W (1-1/2" Ledger)	Box	15	15.6 LBS	8" x 8" x 10"	ACCSSICFVL-W
ICFVL-CW (1-3/4" Micro Lam)	Box	15	16.5 LBS	8" x 8" x 10"	ACCSSICFVL-CW
ICFVL (use with -W or -CW)	Box	15	22.15 LBS	8" x 8" x 16"	ACCSSICFVL

- * Sold in full boxes only

Helix Micro Rebar & Washers



TYPE	UNIT	QUANTITY	WEIGHT	BOX DIMENSIONS	PART NUMBER
Helix Micro Rebar	Box	—	45 LBS	8" x 10" x 13"	ACCSHELIX45
1.75" Plastic Washer Plates	Box	500 pieces	3 LBS	6.5" x 8" x 13"	ACCSEPPSW
2" EPS Flush Plastic Washer	Jar	150 pieces/jar	2 LBS	—	ACCSEPSWASHPL

- * Washer only (EPS Plasti-Grip)
- * Washer for fastening EPS sheets (2" EPS Flush Plastic Washer)

Hydrostar System



TYPE	SIZE	UNIT	COVERAGE / QTY	WEIGHT	PART NUMBER
Dimpled Membrane	5'0"	Roll	327 SQFT (65'6")	44 LBS	ACCSHYDROSTAR5
Dimpled Membrane	6'6"	Roll	425 SQFT (65'6")	59.2 LBS	ACCSHYDROSTAR6
Dimpled Membrane	8'0"	Roll	525 SQFT (65'6")	70.8 LBS	ACCSHYDROSTAR8
Dimpled Membrane	10'0"	Roll	655 SQFT (65'6")	85 LBS	ACCSHYDROSTAR10
Molding	—	Bundle	10 pieces 6'6"/bundle	5 LBS	ACCSHYDROTRIM
Washer	—	Bag	100 pieces/bag	1 LBS	ACCSHYDROWASH

- * 12" thick roll diameter
- * Hydrostar washer or molding used to secure top of Hydrostar membrane to wall

Waterproofing Membranes & Fastfoot



TYPE	SIZE	UNIT	COVERAGE	WEIGHT	# ROLLS / PALLET	DIMENSIONS	PART NUMBER
IKO Peel & Stick Waterproofing Membrane	—	Roll	200 SQFT	64 LBS	30	52" x 44" x 44"	ACCSIKOWATERPROOF
Resisto Peel & Stick Waterproofing Membrane	—	Roll	200 SQFT	60.5 LBS	25	48" x 48" x 48"	ACCSRESWATERPROOF
Fastfoot	62" x 100'	Roll	266 SQFT	13.05 LBS	—	5" x 32"	ACCSFF62
Fastfoot	74" x 100'	Roll	333 SQFT	15.35 LBS	—	5" x 40"	ACCSFF74
Fastfoot 62" Corner	—	Each	—	0.75 LBS	—	48" x 48"	ACCSFF62C
Fastfoot 74" Corner	—	Each	—	0.85 LBS	—	48" x 48"	ACCSFF74C


ICF Bracing



TYPE	UNIT	# SETS PER RACK	WEIGHT PER RACK	PART NUMBER
Giraffe 10' Alignment System — Single Brace Set	Set	Single	80 LBS	SPECIAL ORDER ONLY
Giraffe 10' Alignment Bracing Set (with rack)	Full Rack of 24	24 Sets/Rack	2000 LBS	ACCSBRACEGIR10
Plumwall 10' All-In-One (rack capacity 24 sets)	Without Rack	24 Sets	2000 LBS	ACCSBRACEPLUM10-ALL
Plumwall 10' Empty Rack	1 Empty Rack	—	325 LBS	ACCSBRACEPLUM10RACK
Plumwall 24 FT Adapter Kit	Without Rack	24 Sets	2016 LBS	ACCSBRACEPLUM24'
Plumwall 14 FT Adapter Kit	Without Rack	24 Sets	432 LBS	ACCSBRACEPLUM14'ADAPT

- * Same per piece but rack included (Giraffe rack size 29" x 32" x 124")
- * Rack not included (Plumwall adapter kits)

Tee Wall Zee Bracket



TYPE	UNIT	CASE QTY	WEIGHT	CASE DIMENSIONS	PART NUMBER
Tee Wall Zee Bracket	Box	14 per box	47.5 LBS	5" x 18" x 18"	ACCSZBRCKT

- * Sold in full boxes

Terms & Conditions

Published Prices

Published prices are all F.O.B. point of origin and do not include shipping charges or applicable taxes unless specifically noted. Estimates on shipping are available upon request. F.O.B. is always the manufacturing plant. Ask Order Desk about potential freight caps. Published prices are subject to change without notice.

Credit Orders

Thirty day credit is provided exclusively to buyers who have arranged for credit by having a completed and approved Credit Application on file. Please allow up to 14 days for processing of application. AMC Foam Technologies Inc. reserves the right to suspend credit arrangements at any time. Unless other arrangements are made ahead of time, approved credit orders are shipped by truck unless otherwise notified. Freight can be arranged by the AMC order desk to be added to total cost of invoice or the buyer can arrange and pay for shipping independently.

Payment of Invoices

Payments must be received within 30 days of date of invoicing and will not be extended. Late payments are subject to 2% monthly interest. Account must be in good standing to allow for the processing of future orders.

Verbal Orders

All orders should be in writing, FAX or email. AMC will not be responsible for errors made on verbal orders. If buyer is picking up an order, it should be sent in ahead of time to the AMC Order Desk. All pick ups must be verified and confirmed by the Order Desk, and order confirmation should have been received by the purchaser.

Custom Orders

Additional sizes and specifications are available on a special order basis, please call for price and availability. Custom items are not produced until an order has been placed. Lead time to be determined upon placement of order.

Order Changes

Changes to any order must have written confirmation from AMC prior to pick up or delivery — truck wait times charges will not be provided by AMC.

Warehouse Pick-ups

Arrangement and times must be confirmed with the AMC order desk in advance.

Shortages and Errors

Claims for shortages and errors should be made within 5 business days after receipt of material. AMC reserves the right not to honor claims made after the 5-day limit.

Damage Claims

Delivery is made through an insured carrier and AMC's liability ceases when the carrier accepts shipment. Buyer's claim for shipping breakage, damage or losses should be directed to the carrier. It is the buyer's responsibility to examine merchandise before accepting it.

Packaging

Standard packaging is provided for truck deliveries. Shipments of non-standard packages are subject to custom packaging and handling charges.

Return Policy

Acceptable returns

- Products purchased in the past 90 days of the shipment date, AND
- Products in original condition and packaging and are readily resalable, OR
- Defective products (no fault of customer), OR
- Wrong product shipped (fault of AMC)

Non-returnable

- Products that are damaged, soiled or rendered unfit for re-sale either accidentally, neglect, negligence, an act of nature, or in transport
- Products used for applications for which they were not designed or intended
- Products which have not been properly stored or subject to sun exposure
- Products which have been used
- Special order, non stock, or custom order items

How to return

- Contact Conrad Hoeppner or Stephen George, have your original sales order number or purchase number readily available.
- AMC will confirm your eligibility for return by providing you a Return Authorization number.
- Product types and quantities listed on Return Authorization will be strictly adhered to at time of return. Any other items will be refused.
- Returns delivered to AMC Winnipeg MB location are only accepted between 1:00 pm to 3:00 pm, Monday to Friday.
- All returns are subject to a minimum restocking fee: Sheet goods 30% (full, packaged bundles only) · Element ICF products 40% (25 block minimum) · Accessories 40% (\$100 return value minimum).
- All products are subject to physical inspection before final approval of Return Authorization.

Contact

Address

35 Headingley Street, Headingley, MB R4H 0A8

Email

amc@amcfoam.com · orders@amcfoam.com

Phone / Fax

1.877.789.7622 · 1.204.633.2000

Hours

Mon–Fri, 8 AM – 4:30 PM